

PRODUCT:

PF-012

REV061323NT

PRODUCT DESCRIPTION: Acoustic horizontally lofted polyester fiber.


Physical Property	Description - Value
Material	Polyester Fiber
Color	Charcoal
Available Thicknesses	1 in (25.4 mm), or 2 in (50.8mm)
Target Fiber Weight	0.2192 lb/ft ² (34.43 N/m ²) +/- 10%
Density	77.4 lb/ft ³ (12.2 kN/m ³)
Flammability	FMVSS 302, Cal 117 (2013)

ACOUSTIC DATA

ABSORPTION COEFFICIENT to ASTM E 1050

Freq (Hz)	Absorption Coefficient [a _s]
1600	0.71
2000	0.84
2500	0.92
3150	0.92
4000	0.89
5000	0.89
6300	0.87

ASTM E-1050



THE VALUES PRESENTED ARE TYPICAL AND ARE NOT INTENDED FOR SPECIFICATION PURPOSES. This information is provided without warranty, representation, inducement or license of any kind. INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE OR PURPOSE, except that it is accurate to the best of Technicon Industries' knowledge or obtained from sources believed by Technicon Industries to be accurate, and Technicon Industries does not assume any legal responsibility for the use or reliance upon same. Customers are encouraged to conduct their own tests for suitability and conformance.